

Aluminum of vaccines, and antacid gastric dressings, is a toxic drug

In these conditions :

The promulgation, by the FDA and WHO, in 1996, of a minimum Risk Level (minimum Toxic Dose) by the oral route, formally prohibited, since that date, the administration to humans of any drug containing aluminum, whatever or the value of this minimum Toxic Dose, in whatever form (oral, IM, IV, transdermal, etc.) and at any dose.

Indeed, there is no drug, present on the drug market, for which a minimum Toxic Dose has ever been promulgated.

It is an intangible rule, which cannot be broken:

A toxic drug in animals cannot be administered to humans

This prohibition is perfectly justified: indeed when correctly evaluating the toxicity which results from the value of the minimum Toxic Dose of aluminum by the oral route, that is to say 1 mg of aluminum / kg of body weight / day, one realizes that **all vaccines and antacid gastric dressings containing aluminum are administered in toxic, and deadly, doses in adults and, a fortiori, in children**

Since 1996, the non-observance of this commandment, by health authorities of the various countries, has been fatal for humans, **because it is at the origin of several million deaths in the world** (Parkinson, SEP, SLA, Lewy-body disease, Alzheimer, etc.). This constitutes a veritable "crime against humanity", for which the health authorities of the various countries are responsible. This scandal is much more serious in France, where the Minister of Health and the National Agency for the Safety of Medicines (ANSM) imposed, by the law of December 30, 2017, the administration of 11 vaccines, 8 of which contain aluminum in toxic deadly doses to all children born since January 1, 2018. Outside Italy, vaccinations are optional in all countries of the world.

Certificate of expertise for vaccines containing aluminum

The promulgation by the FDA, in 1989, extended worldwide by the WHO, in 1996, of the minimum oral toxic dose of aluminum, states:

**Minimum Toxic oral Dose for aluminum:
1 mg / kg body weight / day ***

This is a **WHO commandment**, above all laws, **that strictly prohibits the administration to man of all vaccines containing aluminum**. Because this minimum toxic oral dose of aluminum has been calculated from the value of the minimum toxic dose equal to 0.01 mg of aluminum / kg of weight, in the body, for oral absorption (passage of the gastrointestinal tract into the body) equal to 1 p. percent of the aluminum dose given orally. Consequently :

**Minimum Toxic Dose for aluminum in vaccines:
0.01 mg / kg body weight**

Done at Poitiers on 20 November 2019



Professor Jean-Bernard Fourtillan
Expert Pharmacologist - Toxicologist specialized in Pharmacokinetics

This expert certificate allows any person who is a carrier, for herself or her children, to refuse the administration of all vaccines containing aluminum, because they are forbidden and mortal

*: This Minimum Risk Dose was confirmed by 4 members of the National Academy of Medicine, in the article of the Bulletin of the National Academy of Medicine of June 26, 2012 (Pierre BEGUE, Marc GIRARD, Hervé BAZIN, Jean-François BACH – Les adjuvants vaccinaux : quelle actualité en 2012 ? *Bull. Acad. Natle Méd.*, 2012, 196, n°6, 1177-1181, séance du 26 juin 2012). They misused it, unfortunately for all those vaccinated, victims of their incompetence.